

To: Szaro, Deb[Szaro.Deb@epa.gov]; Spalding, Curt[Spalding.Curt@epa.gov]
From: Enck, Judith
Sent: Wed 3/30/2016 8:06:09 PM
Subject: Fwd: Google Alert - PFOA

From: Google Alerts <googlealerts-noreply@google.com>
Date: March 30, 2016 at 4:04:40 PM EDT
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update □ March 30, 2016

NEWS

[Patch.com](#)

New Well Tests Show Higher Levels of PFOA

Patch.com

"Of the 59 results received, 17 wells showed **PFOA** levels above 100 parts per trillion (ppt) ranging from 110 ppt to 830 ppt. In total, 20 water wells ...

[NHDES: 19 Merrimack-area properties getting bottled water due to contamination - The Union Leader](#)

[Water test results cause for concern - Nashua Telegraph](#)

[Test results reveal - WMUR Manchester](#)

[Full Coverage](#)

   [Flag as irrelevant](#)

[Ayotte Calls on Clinton
to Act](#)

Environmental official: State clean-up fund for PFOA response running low

Brattleboro Reformer

Schuren says the fund is being used to respond to contamination found in a municipal water supply in Pownal by a chemical known as **PFOA** ...

   [Flag as irrelevant](#)

[Patch.com](#)

More PFOA Water Tests, Apartment Fire, April Snow? NH Right Now

Patch.com

Plus, Trump campaign manager arrested, DWI arrests, battle of the bands, math champs, I-93 work, Narcan in schools, child porn guilty plea.

   [Flag as irrelevant](#)

[Ayotte Calls on EPA to Act on Water Contamination](#)

RealEstateRama (press release)

"Due to the increasing number of impacted communities, the unknown potential health effects related to using

water contaminated by **PFOA**, and the ...
[How much is too much? - Bucks County Courier Times](#)
[Full Coverage](#)

   [Flag as irrelevant](#)

[View this alert](#)

[State looking into new water source for Pownal district](#)

Bennington Banner (subscription)

POWNAL >> State officials are considering finding a new water source for a municipal system contaminated with **PFOA**. At least 200 residents at a ...

   [Flag as irrelevant](#)

[View this alert](#)

[Air base in poison check](#)

The Queensland Times

"Aqueous film-forming foam containing PFOS and **PFOA** was used extensively worldwide and within Australia by both civilian and military authorities ...

   [Flag as irrelevant](#)

[State providing bottled water to residents](#)

Foster's Daily Democrat

The department had ordered the testing of wells for perfluorooctanoic acid, or **PFOA**, within a one-mile radius of the Saint-Gobain Performance ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)